L Number	Hits	Search Text	DB	Time stamp
1	13813	324/750-765,158.1.ccls.	USPAT;	2004/03/09 18:54
_			US-PGPUB; EPO; JPO;	
			DERWENT;	
	12214	conductive near3 coil	IBM_TDB USPAT;	2004/03/09 18:54
2	13314	conductive near3 coll	US-PGPUB;	2004/03/09 18:34
			EPO; JPO;	
			DERWENT;	
	4.1	204/750 765 150 11 /	IBM_TDB	2004/02/00 10.54
3	41	324/750-765,158.1.ccls. and (conductive near3 coil )	USPAT; US-PGPUB;	2004/03/09 18:54
		nears corr ,	EPO; JPO;	
			DERWENT;	
	1.0	/224/750 765 150 1 cole and (conductive	IBM_TDB USPAT;	2004/03/09 18:54
4	18	(324/750-765,158.1.ccls. and (conductive near3 coil )) and layer	US-PGPUB;	2004/03/09 10:34
		nears corr // and rayer	EPO; JPO;	
			DERWENT;	
	11000		IBM_TDB	2004/02/00 10-54
_	11996	conductive near3 coil	USPAT; US-PGPUB;	2004/03/09 18:54
			EPO; JPO;	
			DERWENT;	
		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	IBM_TDB USPAT;	2003/04/11 18:25
_	8	(conductive near3 coil) and 324/754.ccls.	US-PGPUB;	2003/04/11 18:23
			EPO; JPO;	
			DERWENT;	
	1000	2 13 13 204/0 3 -	IBM_TDB	2002/04/11 10.26
_	1038	(conductive near3 coil) and 324/\$.ccls.	USPAT; US-PGPUB;	2003/04/11 18:26
			EPO; JPO;	
			DERWENT;	
	0.5	2 (1)	IBM_TDB	2002/04/11 10.27
_	33	(conductive near3 coil) and 324/750-765,158.1.ccls.	USPAT; US-PGPUB;	2003/04/11 18:27
		3247730 703,130.1.0013.	EPO; JPO;	
			DERWENT;	
	4705	-ushs -conf -coil	IBM_TDB USPAT;	2003/04/11 18:28
_	4785	probe near5 coil	US-PGPUB;	2003/04/11 18:28
			EPO; JPO;	
			DERWENT;	
	2.57	(mucha manufi mail) with contracted	IBM_TDB	2003/04/11 18:29
_	357	(probe near5 coil) with contact\$4	USPAT; US-PGPUB;	2003/04/11 10:29
			EPO; JPO;	
			DERWENT;	
_	7	"6043666"	IBM_TDB USPAT;	2003/04/11 18:31
_	'	0033000	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	3755	kazama.in.	IBM_TDB USPAT;	2003/04/11 18:31
	3,33	The Bound of the State of the S	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	34	kazama.in. and 324/750-765,158.1.ccls.	<pre>IBM_TDB USPAT;</pre>	2003/04/11 18:35
	74		US-PGPUB;	2000, 01, 11 10.00
			EPO; JPO;	
			DERWENT;	-
_	34	kazama.in. and 324/750-765,158.1.ccls.	<pre>IBM_TDB USPAT;</pre>	2003/04/11 18:35
	] 34		US-PGPUB;	10.55
			EPO; JPO;	
			DERWENT;	
L	l		IBM TDB	

-	104	(probe near5 coil) and	USPAT;	2003/04/11 18:40
		324/750-765,158.1.ccls.	US-PGPUB;	
	ļ		EPO; JPO;	
			DERWENT;	
	76	kazama in and proba	IBM_TDB USPAT;	2003/04/11 18:45
_	/ 6	kazama.in. and probe	US-PGPUB;	2003/04/11 18:45
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	3405	probe near3 coil	USPAT;	2003/04/11 18:45
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	309	(probe near3 coil) with conduct\$4	USPAT;	2003/04/11 18:46
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	450288	conductive near3 coil nea5 taper\$4	USPAT;	2003/04/11 18:56
_	430200	conductive Hears corr Hear cabersa	US-PGPUB;	2003/04/11 10.30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	450288	(conductive near3 coil) nean5 taper\$4	USPAT;	2003/04/11 18:56
	-		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	,,	(	IBM_TDB	2002/04/11 10:50
_	11	(conductive near3 coil) near5 taper\$4	USPAT;	2003/04/11 18:58
			US-PGPUB; EPO; JPO;	
			DERWENT;	
		,	IBM TDB	
_	30	(conductive near3 coil) with taper\$4	USPAT;	2003/04/11 19:00
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	62105	coil near5 wire	USPAT;	2003/04/11 19:00
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	1498	(conductive near3 coil) with (coil near5	USPAT;	2003/04/11 19:00
		wire)	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	98	((conductive near3 coil) with (coil near5	USPAT;	2003/04/11 19:04
		wire)) and probe	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT; IBM TDB	
_	34300	turn near3 coil	USPAT;	2003/04/11 19:04
	1 34300	Carn nears corr	US-PGPUB;	2000/04/11 17.04
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	185	(turn near3 coil ) with probe	USPĀT;	2003/04/11 19:05
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	1	coil nearE taner	IBM_TDB	2002/04/14 12:01
-	922	coil near5 taper	USPAT; US-PGPUB;	2003/04/14 13:21
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
L			1	·

-	12840	324/750-765,158.1.ccls.	USPAT;	2003/04/14 13:45
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0.5	204/250 255 450 4	IBM_TDB	
-	25	324/750-765,158.1.ccls. and coil and taper	USPAT;	2003/04/14 13:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	7.00	204/850 865 150 1	IBM_TDB	0000/04/14 10 00
-	798	324/750-765,158.1.ccls. and coil	USPAT;	2003/04/14 13:37
			US-PGPUB;	
			EPO; JPO;	
	•		DERWENT;	
	004	(204/350 365 150 1 1 1 1 1 1 1 1 1	IBM_TDB	0000/04/14 12 04
-	284		USPAT;	2003/04/14 13:24
		smaller	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	400	(204/750 765 150 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IBM_TDB	0000/04/14 10 07
-	408	(324/750-765,158.1.ccls. and coil ) and	USPAT;	2003/04/14 13:37
		turn\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/04/14 10 45
-	2512	324/750-765,158.1.ccls. and turn	USPAT;	2003/04/14 13:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1755	,	USPAT;	2003/04/14 13:45
		contact	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12958	conductive near3 coil	USPAT;	2003/12/08 14:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/10/00 14 30
-	0	(conductive near3 coil ) and tapper	USPAT;	2003/12/08 14:30
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	_	//conductive mean2 coil \ /com	IBM_TDB USPAT;	2003/12/08 14:31
-	2		i .	2003/12/00 14:31
		wire)) and 324/754-765,158.1.ccls.	US-PGPUB; EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
1_	104	(conductive near3 coil ) and (core adj	USPAT;	2003/12/08 14:35
-	104	wire)	US-PGPUB;	2003/12/00 14:33
		MTTC!	EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	44	   (conductive adj2 layer) near5 (core adj	USPAT;	2003/12/08 14:36
-	44	wire)	US-PGPUB;	2003/12/00 14:30
		MTTC)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	4	("5200695"   "5225773"   "5461326"	USPAT	2003/12/08 14:48
-	4	"5865632").PN.	OSEKI	2505/12/00 14.46
_	4766	385/\$.ccls. and (probe or tip)	USPAT;	2003/12/08 14:58
-	4/00	300/4.ccis. and (probe of cip)	US-PGPUB;	2003/12/00 14:30
			EPO; JPO;	
			DERWENT;	j j
			IBM TDB	
		I	TDM_TDD	l

-	94	(conduct\$4 near layer) and (385/\$.ccls. and (probe or tip))	USPAT; US-PGPUB;	2003/12/08 15:30
			EPO; JPO; DERWENT; IBM TDB	
_	2367	(conduct\$4 near layer) and 324/\$.ccls.	USPAT;	2003/12/08 15:40
			US-PGPUB; EPO; JPO;	
		·	DERWENT;	
_	585	((conduct\$4 near layer) and 324/\$.ccls.)	IBM_TDB USPAT;	2003/12/08 15:31
		and (probe or tip) and test\$4 near5	US-PGPUB;	
		(semiconductor or chip or integrated)	EPO; JPO; DERWENT;	
_	602	(conduct\$4 near layer) and	IBM_TDB USPAT;	2003/12/08 15:40
	002	324/754-761.ccls.	US-PGPUB;	2003/12/00 13:10
			EPO; JPO; DERWENT;	
	400	//ductCA noon loven) and	IBM_TDB USPAT;	2003/12/08 15:40
_	488	((conduct\$4 near layer) and 324/754-761.ccls.) and (probe or tip)	US-PGPUB;	2003/12/08 13:40
			EPO; JPO; DERWENT;	
	0.70		IBM_TDB	0000/10/00 16 40
-	273	(((conduct\$4 near layer) and 324/754-761.ccls.) and (probe or tip)) and	USPAT; US-PGPUB;	2003/12/08 16:42
		(coil or spring)	EPO; JPO; DERWENT;	
			IBM_TDB	
_	3 3		USPAT;	2003/12/08 16:30 2003/12/08 16:51
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	57	(core adj wire) with (conductive adj	IBM_TDB USPAT;	2003/12/08 16:52
		layer)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	24	((core adj wire) with (conductive adj	<pre>IBM_TDB USPAT;</pre>	2003/12/08 16:52
		layer)) and probe	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	23	probe with (conductive adj layer) with	IBM_TDB USPAT;	2003/12/12 16:58
		(silver or copper)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	39184	core with steel	IBM_TDB USPAT;	2003/12/12 16:59
		·	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	1083	(core with steel) and probe	IBM_TDB USPAT;	2003/12/12 16:59
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	1976	(core adj wire) with steel	IBM_TDB USPAT;	2003/12/12 16:59
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	98	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB USPAT;	2003/12/12 16:59
		with steel) and probe)	US-PGPUB; EPO; JPO;	
			DERWENT;	
L	J		IBM TDB	

-	12	((((core adj wire) with steel) and ((core	USPAT;	2003/12/12 17:00
		with steel) and probe)) and (silver or	US-PGPUB;	
		copper)) and nickel) and gold	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	((((core adj wire) with steel) and ((core	USPAT;	2003/12/12 17:02
		with steel) and probe)) and (silver or	US-PGPUB;	
		copper)) and nickel	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	63	(((core adj wire) with steel) and ((core	USPAT;	2003/12/12 17:04
}		with steel) and probe)) and (silver or	US-PGPUB;	
		copper)	EPO; JPO;	
			DERWENT;	
	4	(("4038599") or ("6020747")).PN.	USPAT;	2003/12/12 18:16
-	4	( 4030399 ) OI ( 0020747 )).FN.	US-PGPUB;	2003/12/12 18:10
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	("4956602").PN.	USPAT;	2003/12/12 18:16
	_	,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	